

#### Guia de Instalação da Ferramenta Quartus II Prime Lite

#### Roberto G. Pacheco

pacheco@gta.ufrj.br

Grupo de Teleinformática e Automação – GTA/UFRJ Programa de Engenharia Elétrica - PEE/COPPE/UFRJ Universidade Federal do Rio de Janeiro





 1) Verificar a disponibilidade em seu HD, pois os programas instalados ocupam cerca de 15Gb





- 1) Verificar a disponibilidade em seu HD, pois os programas instalados ocupam cerca de 15Gb
- 2) Acessar o link: https://fpgasoftware.intel.com/?edition=lite





intel PRODUCTS SUPPORT SOLUTIONS DEVELOP	ERS PARTNERS		Q Search Intel.com	
Home > Downloads > Quartus Prime Lite E	dition			
Download Center for FPG	SAs			
Design SoftwareEmbedded SoftwareArchivesLicensingProgramming SoftwareDriversBoard System DesignBoard Layout and TestLegacy Software	Quartus Prime Lite Edition Release date: November, 2020 Latest Release: v20.1.1 Select edition: Lite Select release: 20.1.1 Operating System Derating System Mindows Linux	Intel' Quartus' Prime Design Software	bould	
	<ul> <li>The Quartus Prime Lite Edition Design Software, Version 20.1.1 includes functive their software up-to-date and follow the <u>technical recommendations</u> to hele The Quartus Prime Lite Edition Design Software, Version 20.1.1 is subject to a all devices in this release are available in a newer version, or all devices supporter would like to receive customer notifications by e-mail, please subscribe to our <u>sumailing list</u>.</li> <li>The Quartus Prime Lite Edition Design Software, Version 20.1.1 supports the 10 LP, Cyclone IV, Cyclone V, MAX II, MAX V, and MAX 10 FPGA. <u>More</u></li> </ul>	Ip improve security updates, osers s ip improve security. removal from the web when support ed by this version are obsolete. If you ubscribe to our customer notification following device families: Arria II, Cy	t for 1 1 1 1 1 1 1	
				OPPE UFRJ



Home > Downloads > Quartus Prime	Lite Edition		
Download Center for I	FPGAs		
Design SoftwareEmbedded SoftwareArchivesLicensingProgramming SoftwareDriversBoard System DesignBoard Layout and TestLegacy Software	Quartus Prime Lite Edition       Select         Release date: November, 2020       Latest Release: v20.1.1         Select edition:       Ite         Select release:       20.1.1         Operating System ()       Ite Edition Design Software, Version 2 keep their software up-to-date and follow the technical recomendation of the software up-to-date and follow the technical recomendation of the quartus Prime Lite Edition Design Software, Version 2 all devices in this release are available in a newer version, or a would like to receive customer notifications by e-mail, please mailing list.         Image: The Quartus Prime Lite Edition Design Software, Version 2 all devices in this release are available in a newer version, or a would like to receive customer notifications by e-mail, please mailing list.         Image: The Quartus Prime Lite Edition Design Software, Version 2 all devices in the receive customer notifications by e-mail, please mailing list.         Image: The Quartus Prime Lite Edition Design Software, Version 2 all devices in the receive customer notifications by e-mail, please mailing list.         Image: The Quartus Prime Lite Edition Design Software, Version 2 all devices in the receive customer notifications by e-mail, please mailing list.	ione a versão 20.1 Intel' Quartus' Prime Design Software 20.1.1 includes functional and security updates. Users shou mendations to help improve security. 20.1.1 is subject to removal from the web when support for all devices supported by this version are obsolete. If you subscribe to our <u>subscribe to our customer notification</u> 20.1.1 supports the following device families: Arria II, Cyclor A. More	Id
	The Quartus Prime Lite Edition Design Software, Version 2 10 LP, Cyclone IV, Cyclone V, MAX II, MAX V, and MAX 10 FPG.	20.1.1 supports the following device families: Arria II, Cyclor A. <u>More</u>	ne



Home > Downloads > Quartus Prime	Lite Edition		
Download Center for	FPGAs		
Design Software Embedded Software Archives Licensing Programming Software Drivers Board System Design Board Layout and Test Legacy Software	Quartus Prime Lite Edition       Select         Release date: November, 2020         Latest Release: v20.1.1         Select edition:       Ite         Select release:       20.1.1         Operating System ()       Ite         Image: Comparison of the select release:       Ite         Image: Comparison of the select release release and follow the technical recomparison of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are available in a newer version of the select release are av	cione a versão 20.1 Intel Quartus Prime Design Software Selecione o seu sistema operacional n 20.1.1 includes functional and security updates. Users should ommendations to help improve security. n 20.1.1 is subject to removal from the web when support for r all devices supported by this version are obsolete. If you	
	<ul> <li>would like to receive customer notifications by e-mail, pleas mailing list.</li> <li>The Quartus Prime Lite Edition Design Software, Versior 10 LP, Cyclone IV, Cyclone V, MAX II, MAX V, and MAX 10 FP</li> </ul>	se subscribe to our <u>subscribe to our customer notification</u> n 20.1.1 supports the following device families: Arria II, Cyclone PGA. <u>More</u>	



- 1) Verificar a disponibilidade em seu HD, pois os programas instalados ocupam cerca de 15Gb
- 2) Acessar o link: <u>https://fpgasoftware.intel.com/?edition=lite</u>
- 3) Baixe os seguintes arquivos (Necessário registrar-se primeiro para baixar)
  - (1) Quartus Prime
  - (2) ModelSim-Intel FPGA Edition (includes Starter Edition)
  - (3) Ciclone IV device support





JFR ]

nload and install instructions: <u>More</u>			
Intel FPGA Software V20.1.1 Installation FAQ			
<u>k Start Guide</u>			
		_(1)	
lartus Prime Lite Edition (Free)			
Quartus Prime (includes Nios II EDS)	0		
SIZe: 1.6 GB MD5: 5F6CFEBDB7B3CB35E033D2A9F5D59AC4 ** Nios ILEDS on Windows requires Ubuntu 18.04 LTS on Windows Subsystem for Linux (WSL)	which	$\langle \mathbf{O} \rangle$	
requires a manual installation.	,	(2)	
** Nios II EDS requires you to install an Eclipse IDE manually.			
Size: 1.2 GB MD5: 65024AF2CE888426125246A4BC7720CD	~		
evices ou must install device support for at least one device family to use the Quartus Pr Arria II device support	ime software.		
evices ou must install device support for at least one device family to use the Quartus Pr Arria II device support Size: 499.1 MB MD5: 4561D23010DD1FD359FE12348B102AC6	ime software.	(3)	
evices ou must install device support for at least one device family to use the Quartus Pr Arria II device support Size: 499.1 MB MD5: 4561D23010DD1FD359FE12348B102AC6 Cyclone IV device support Size: 466.0 MB MD5: E6527CBC876426C4ECD8737D8B68369C	ime software.	(3)	
evices ou must install device support for at least one device family to use the Quartus Pr Arria II device support Size: 499.1 MB MD5: 4561D23010DD1FD359FE12348B102AC6 Cyclone IV device support Size: 466.0 MB MD5: E6527CBC876426C4ECD8737D8B68369C Cyclone 10 LP device support	ime software.	(3)	
evices ou must install device support for at least one device family to use the Quartus Pr Arria II device support Size: 499.1 MB MD5: 4561D23010DD1FD359FE12348B102AC6 Cyclone IV device support Size: 466.0 MB MD5: E6527CBC876426C4ECD8737D8B68369C Cyclone 10 LP device support Size: 265.7 MB MD5: D47100035A5A97F44048DF19218B09E4	ime software.	(3)	
evices u must install device support for at least one device family to use the Quartus Pr Arria II device support Size: 499.1 MB MD5: 4561D23010DD1FD359FE12348B102AC6 Cyclone IV device support Size: 466.0 MB MD5: E6527CBC876426C4ECD8737D8B68369C Cyclone 10 LP device support Size: 265.7 MB MD5: D47100035A5A97F44048DF19218B09E4 Cyclone V device support	ime software.	(3)	
evices in must install device support for at least one device family to use the Quartus Pr Arria II device support Size: 499.1 MB MD5: 4561D23010DD1FD359FE12348B102AC6 Cyclone IV device support Size: 466.0 MB MD5: E6527CBC876426C4ECD8737D8B68369C Cyclone 10 LP device support Size: 265.7 MB MD5: D47100035A5A97F44048DF19218B09E4 Cyclone V device support Size: 1.3 GB MD5: 78D59D548756F81E67B9D7CD2149E2B8	ime software.	(3)	
evices u must install device support for at least one device family to use the Quartus Pr Arria II device support Size: 499.1 MB MD5: 4561D23010DD1FD359FE12348B102AC6 Cyclone IV device support Size: 466.0 MB MD5: E6527CBC876426C4ECD8737D8B68369C Cyclone 10 LP device support Size: 265.7 MB MD5: D47100035A5A97F44048DF19218B09E4 Cyclone V device support Size: 1.3 GB MD5: 78D59D548756F81E67B9D7CD2149E2B8 MAX II. MAX V device support	ime software.	(3)	

8



- 1) Verificar a disponibilidade em seu HD, pois os programas instalados ocupam cerca de 15Gb
- 2) Acessar o link: <u>https://fpgasoftware.intel.com/?edition=lite</u>
- 3) Baixe os seguintes arquivos (Necessário registrar-se primeiro para baixar)
  - (1) Quartus Prime
  - (2) ModelSim-Intel FPGA Edition (includes Starter Edition)
  - (3) Ciclone IV device support
- 4) Criar uma pasta e copiar os arquivos baixadas para dentro





- 1) Verificar a disponibilidade em seu HD, pois os programas instalados ocupam cerca de 15Gb
- 2) Acessar o link: <u>https://fpgasoftware.intel.com/?edition=lite</u>
- 3) Baixe os seguintes arquivos (Necessário registrar-se primeiro para baixar)
  - (1) Quartus Prime
  - (2) ModelSim-Intel FPGA Edition (includes Starter Edition)
  - (3) Ciclone IV device support
- 4) Criar uma pasta e copiar os arquivos baixadas para dentro
- 5) Execute o arquivo QuartusLiteSetup-20.1.0.711-windows.exe (instalador do Quartus Prime Lite)





Installing Quartu	s Prime Lite Edition (Free) 20.1.0.711		-		×
Installation directory				in	tel
Specify the directory	where Quartus Prime Lite Edition (Free) 20. 1.0. 711 will be installed	li.			
Installation directory	C:\intelFPGA_lite\20.1	<b>2</b>			
talla ildar					
Constantion		< Back	Next 2	Can	cel .





Installing Quartus Prime Lite Edition (Free	e) 20.1.0.711	-		×
Installation directory			in	tel
Specify the directory where Quartus Prime Lite 8	Edition (Free) 20. 1.0. 711 will be installed			
Installation directory C: \intelFPGA_ite \20.1	<b>2</b>			
	Mantenha o diretório de	е		
	instalação			
stallBuilder			lar	
	< Back	Next >	Can	cel
	12			





Installing Quartus Prime Lite Edition (Fr	ee) 20.1.0.711	-		×
Installation directory			in	tel
Specify the directory where Quartus Prime Lite	Edition (Free) 20. 1.0. 711 will be installed			
Installation directory C:\intelFPGA_ite\20.1				
	Mantenha o diretório de instalação	;		
InstallBuilder				
	< Back	vext >	Can	cel





Installing Quartus Prime Lite Edition (Free) 20.1.0.711	- 0 ×
Select Components	(intel)
Select the components you want to install  Quartus Prime Lite Edition (Free)  Quartus Prime (includes Nos II EDS) (9313M5)  Devices  Cyclone IV (516.3M8)	You can add additional device support to an existing Quartus Prime software installation without having to reinstall the entire software package. Use the Install Devices command on the Tools menu in the Quartus Prime
ModelSim - Intel FPGA Starter Edition (Free) (4318.8MB)	Select a component for more information
InstalBuilder	< Back Nexty Cancel





Installing Quartus Prime Lite Edition (Free) 20.1.0.711	- 0 X
Select Components	(intel)
elect the components you want to install	
<ul> <li>Quartus Prime Lite Edition (Free)</li> <li>Quartus Prime (includes Nos II EDS) (9313MB)</li> <li>Devices</li> <li>Cyclone IV (516.3MB)</li> <li>ModelSim - Intel FPGA Starter Edition (Free) (4318.8MB)</li> <li>ModelSim - Intel FPGA Edition (4318.8MB)</li> </ul>	You can add additional device support to an existing Quartus Prime software installation without having to reinstall the entire software package. Use the Install Devices command on the Tools menu in the Quartus Prime software to get started. Select a component for more information
Verifique se ess opções estão selecionadas	as
stalBuilder	< Back Nexts Cancel





Installing Quartus Prime Lite Edition (Free) 20.1.0.711	- 0 X
Select Components	(intel)
elect the components you want to install	
<ul> <li>Quartus Prime Lite Edition (Free)</li> <li>Quartus Prime (includes Nos II EDS) (9313MB)</li> <li>Devices</li> <li>Cyclone IV (516.3MB)</li> <li>ModelSim - Intel FPGA Starter Edition (Free) (4318.8MB)</li> <li>ModelSim - Intel FPGA Edition (4318.8MB)</li> </ul>	You can add additional device support to an existing Quartus Prime software installation without having to reinstall the entire software package. Use the Install Devices command on the Tools menu in the Quartus Prime software to get started. Select a component for more information
Caso ocorra pro verifique se tod arquivos estão de instalação	oblema, os os na pasta
stalBuilder	< Back Next> Cancel





• Início de instalação.

